

Toward Intelligent and Adaptive Rainfall Prediction Systems for Optimizing Agricultural Management in Tropical Regions: Future Directions for the Next Two Decades

Safrizal^{a,1}, Ika Safitri Windiarti^{b,2}

^aUniversitas Muhammadiyah Asahan, Kisaran, Indonesia

^b Universiti Muhammadiyah Malaysia, Negeri Perlis, Malaysia
safrizal75@ummas.ac.id¹, ika.windiarti@umam.edu.my²

ABSTRACT

Rainfall prediction plays a crucial role in supporting agricultural management, particularly in tropical regions where climate variability significantly affects farming activities. This study aims to examine the evolution of artificial intelligence-based rainfall prediction technologies while identifying emerging trends, key challenges, and future research directions. The research adopts a narrative literature review approach by analyzing scientific publications from the past decade across reputable databases. The findings reveal a clear transition from traditional statistical methods toward more advanced approaches, including machine learning, deep learning, and transformer-based architectures, which offer greater adaptability and improved capability in handling complex climate data. Furthermore, several critical challenges are highlighted, such as climate data non-stationarity, limited data availability, issues of model interpretability, and the lack of integration with agricultural management systems. As a primary contribution, this study proposes the Agro-AI Rainfall Framework (AARF), a layered conceptual framework that integrates multi-source data, computational intelligence, adaptive mechanisms, and practical applications in agricultural management. This framework is expected to support the development of more adaptive, accurate, and applicable rainfall prediction systems, contributing to smart and sustainable agriculture. Additionally, the study identifies opportunities for future research, particularly in multimodal learning, real-time analytics, and the advancement of Explainable AI.

Keywords: Rainfall Prediction; Artificial Intelligence; Deep Learning; Agricultural Management; Decision Support System (DSS)

Article Information:

Submitted:

Reviewed:

Accepted :

Copyright © 2026 - Journal UPU. All rights reserved.

1. INTRODUCTION

Climate change and increasingly unpredictable weather variability have become major challenges in the agricultural sector, particularly in tropical regions that are highly dependent on rainfall patterns. In recent decades, farmers and agricultural managers have faced increasing uncertainty in planting seasons due to shifting rainfall distributions, extreme intensities, and non-stationary climate behavior that cannot be adequately captured by conventional statistical models [1]. While these traditional approaches provide interpretability and simplicity, they are inherently limited in modeling non-linear relationships and long-term temporal dependencies, which are essential in dynamic climate systems [2].

With the advancement of digital technologies and the availability of large-scale climate data from satellites, sensors, and the Internet of Things (IoT), artificial intelligence (AI) and machine learning techniques have emerged as promising alternatives for rainfall prediction [3]. Compared to statistical models, machine learning approaches such as Support Vector Machines and Random Forests are more capable of capturing non-linear relationships. However, prior studies indicate that these models still

struggle to effectively model long-term temporal dependencies and complex spatio-temporal interactions, particularly in highly variable tropical climates [4].

Recent developments in deep learning, especially Recurrent Neural Networks (RNN) and Long Short-Term Memory (LSTM), have significantly improved the ability to model temporal dynamics. Furthermore, spatio-temporal architectures such as ConvLSTM enable the integration of spatial and temporal features, offering improved predictive performance compared to traditional machine learning approaches [5]. Nevertheless, these models are often characterized by high computational complexity and limited interpretability, which poses challenges for their practical deployment in decision-making contexts [6].

More recently, transformer-based architectures and attention mechanisms have been introduced to address long-range dependency issues and improve scalability in time-series prediction tasks [7]. While these models demonstrate superior performance in handling large-scale and complex datasets, they require substantial data and computational resources, and their application in rainfall prediction—particularly in data-scarce regions—remains limited and underexplored. In addition, multimodal approaches that integrate heterogeneous data sources, such as satellite imagery, meteorological data, and environmental variables, have shown potential to enhance prediction accuracy. However, existing studies often treat these data sources independently rather than developing fully integrated frameworks [8].

Despite these advancements, several critical challenges remain. First, the non-stationary nature of climate data continues to undermine model robustness and generalization capability. Second, data heterogeneity and inconsistency across sources complicate model integration and reduce predictive reliability. Third, the lack of model interpretability (black-box issue) limits user trust and adoption in agricultural decision-making. Finally, existing research is largely fragmented, focusing on model development without sufficiently integrating prediction outputs into practical agricultural management systems [9], [10].

In the context of agricultural management, rainfall prediction should not be viewed merely as a forecasting task, but as a core component of a broader decision-support ecosystem that includes crop planning, irrigation optimization, and risk mitigation strategies [11]. However, current approaches rarely bridge the gap between computational models and real-world agricultural applications, resulting in limited practical impact.

Therefore, there is a clear research gap in developing an integrated, adaptive, and application-oriented rainfall prediction framework that combines advanced AI techniques with decision-making mechanisms in agriculture. Addressing this gap, this study aims to (1) critically analyze the evolution of AI-based rainfall prediction models, (2) identify key trends and limitations that will shape future development, and (3) propose a conceptual framework that integrates multi-source data, computational intelligence, system adaptability, and agricultural decision-making processes. This research contributes by positioning rainfall prediction not only as a technical modeling problem but as a holistic, system-level solution to support sustainable agriculture and future food security.

2. METHODS

This study employs a narrative literature review approach [12] to examine the development of artificial intelligence-based rainfall prediction technologies and their implications for agricultural management in tropical regions. This approach is chosen because it allows for conceptual integration and critical analysis of rapidly evolving multidisciplinary studies, particularly in the fields of Artificial Intelligence (AI), climate science, and agricultural management. In addition, this method provides flexibility in identifying technological development trends, research gaps, and future research directions.

The approach is consistent with previous studies that emphasize theoretical synthesis and the exploration of long-term research directions. The overall research methodology flow is illustrated in Figure 1.




Figure 1. Research Methodology Flow Based on a Narrative Literature Review for the Development of Rainfall Prediction Systems in Agricultural Management

Figure 1 illustrates the research methodology employed in this study, which consists of six interconnected main stages. The first stage is literature collection, conducted through various reputable scientific databases using keywords relevant to rainfall prediction, artificial intelligence, and agricultural management. The second stage is literature screening, aimed at ensuring that only publications meeting inclusion criteria—such as reputable scientific articles relevant to the research topic—are included in the analysis.

The third stage involves literature analysis, which includes conceptual mapping, thematic synthesis, as well as the identification of research gaps and future trends. This stage serves as the foundation for understanding technological developments and existing challenges. The fourth stage is the development of a conceptual framework, designed to integrate key components of AI-based rainfall prediction systems. This framework consists of several main layers, namely data, computation, adaptability, management, and impact.

The fifth stage is conceptual validation, carried out through comparison with previous studies, evaluation of alignment with agricultural management needs, and analysis of relevance to future technological developments. The final stage is the research output, which includes a synthesis of technological advancements, identification of long-term trends and challenges, and the formulation of a conceptual framework that can serve as a foundation for developing intelligent and adaptive rainfall prediction systems to support agricultural management in tropical regions.

3. RESULTS AND DISCUSSION

Based on the selection and analysis process, more than 100 relevant scientific publications were reviewed and synthesized. The results of this analysis were classified into several main aspects, namely

the evolution of prediction methods, applications in agricultural management, future development trends, and challenges in system implementation.

A. Evolution of Rainfall Prediction Models

The development of rainfall prediction has undergone a significant transformation from conventional statistical approaches to complex and adaptive artificial intelligence-based systems. In the early stages, rainfall prediction was dominated by statistical models such as linear regression and ARIMA, which rely on the assumption of data stationarity [13]. Although these methods provide a strong foundation for time series analysis, their limitations in handling non-linear relationships and complex temporal dynamics have become a major constraint in rainfall prediction applications.

With the advent of the machine learning era, algorithms such as Support Vector Machine (SVM), Random Forest, and Decision Tree began to be utilized to improve prediction accuracy [14][15]. These models are capable of capturing non-linear patterns in the data; however, they still have limitations in understanding long-term dependencies in time series data.

Subsequent developments were marked by the emergence of deep learning, particularly Recurrent Neural Networks (RNN) and Long Short-Term Memory (LSTM), which significantly enhanced the ability of models to capture temporal dependencies [16]. The integration of spatial aspects through spatio-temporal models, such as ConvLSTM, enables the utilization of geospatial data such as satellite imagery and environmental sensors, resulting in more comprehensive predictions [17].

In recent years, transformer-based approaches and attention mechanisms have begun to be adopted to enhance model capabilities in capturing long-term relationships and the complexity of climate data [18]. This evolution reflects a paradigm shift from assumption-based approaches toward more intelligent and adaptive data-driven predictive systems. A summary of the evolution of rainfall prediction models is presented in Table 1.

Table 1. Evolution of AI-Based Rainfall Prediction Models

Phase	Main Method	Characteristics	Advantages	Limitations	Reference
Statistical Models	Linear Regression, ARIMA	Based on the assumption of stationarity	Interpretable and simple	Unable to handle non-linearity	[13]
Machine Learning	SVM, Random Forest, Decision Tree	Non-linear modeling	Higher accuracy than statistical methods	Weak in capturing long-term temporal dependencies	[14][15]
Early Deep Learning	RNN, LSTM	Temporal sequence learning	Captures long-term dependencies	Black-box, difficult to interpret	[16]
Spatio-Temporal Models	ConvLSTM, CNN-LSTM	Spatial and temporal integration	More accurate and context-aware predictions	High computational complexity	[17]
Transformer-based Models	Transformer, Attention	Long-range dependency modeling	High accuracy and scalability	Requires large datasets	[18]
Future AI Systems	Multimodal AI, XAI, Hybrid Models	Adaptive and explainable	Supports decision intelligence	Complex system integration	[19]

B. Application of Rainfall Prediction in Agricultural Management

Rainfall prediction has become a key component in supporting modern agricultural management, particularly in tropical regions that are highly dependent on climate variability. Predictive information on rainfall patterns and distribution is used to improve the efficiency of agricultural planning, reduce production risks, and support food security [20].

In practice, rainfall prediction systems are integrated with Decision Support Systems (DSS) to generate data-driven recommendations across various aspects, such as planting schedules, irrigation management, and the mitigation of drought and flood risks. This approach enables more adaptive decision-making in response to climate dynamics and significantly enhances agricultural productivity [21].

Furthermore, the advancement of smart agriculture and precision farming technologies has expanded the role of rainfall prediction as part of the digital agriculture ecosystem. Integration with Internet of Things (IoT) sensors, satellite data, and real-time monitoring systems enables more responsive decision-making based on actual field conditions [22]. In addition, the use of predictive analytics contributes to optimizing water resource utilization, thereby enhancing the efficiency and sustainability of agricultural systems [23].

Various applications of rainfall prediction in agricultural management can be classified based on their functions, technologies, and benefits, as summarized in Table 2.

Table 2. Applications of Rainfall Prediction in Agricultural Management

Application	Technology/Method	Description	Benefits	Reference
Planting Schedule	ML, LSTM, Climate Models	Determines optimal planting time based on rainfall season predictions	Increases crop yield and reduces crop failure risk	[20]
Irrigation Management	DSS, IoT, AI Models	Regulates water distribution based on rainfall predictions	Improves water use efficiency	[21]
Climate Risk Mitigation	Climate Forecasting, AI	Predicts droughts and floods	Reduces agricultural losses	[24]
Precision Farming	IoT, Remote Sensing, AI	Integrates real-time data and predictive analytics	Optimizes agricultural inputs	[22]
Water Resource Optimization	Big Data, AI, Hydrological Models	Manages water resources based on predictive insights	Enhances environmental sustainability	[23]
Decision Support Systems (DSS)	AI, Simulation Models	Data-driven recommendation systems	Enables more accurate decision-making	[21]

C. Trends and Future Development Directions

In the next two decades, rainfall prediction systems are expected to undergo significant transformation alongside advancements in artificial intelligence and data analytics. This development is driven by the increasing availability of multi-source data and the growing capacity of computational technologies. One of the key trends is the utilization of transformer architectures and large-scale AI models capable of handling vast and complex datasets while improving generalization capabilities in climate prediction [25], [26].

In addition, multimodal learning approaches are becoming essential for enhancing prediction accuracy through the integration of various data sources, such as historical rainfall data, satellite imagery, environmental sensors, and atmospheric variables [27]. Future prediction systems are also expected to

evolve toward real-time analytics, enabling dynamic climate monitoring and rapid responses to extreme weather changes [28].

Another important trend is the adoption of Explainable AI (XAI) to improve model transparency and interpretability, allowing for more effective use in decision-making processes [29]. Furthermore, integration with decision intelligence systems will enable these systems not only to perform predictions but also to provide data-driven strategic recommendations to support adaptive and sustainable agricultural management [30].

Overall, rainfall prediction systems will evolve from being merely forecasting tools into intelligent systems that support data-driven strategic decision-making in agricultural management. A summary of future trends and development directions is presented in Table 3.

Table 3. Trends and Future Development Directions of Rainfall Prediction Systems

Technology Trend	Description	Impact on Rainfall Prediction	Implications for Agriculture	Reference
Large AI Models	Large-scale AI models with high generalization capabilities	Improves prediction accuracy and adaptability	More stable predictions for long-term planning	[25]
Transformer & Attention Models	Attention-based architectures for long-range dependencies	Captures complex temporal patterns	More accurate seasonal and anomaly predictions	[26]
Multimodal Learning	Integration of satellite, sensor, and time-series data	Provides more comprehensive predictions	Supports precision agriculture	[27]
Real-time Analytics	Real-time data analysis (streaming data)	Enables rapid response to weather changes	Facilitates adaptive decision-making	[28]
Explainable AI (XAI)	Transparent and interpretable AI models	Enhances user trust	Supports agricultural Decision Support Systems (DSS)	[29]
Decision Intelligence Systems	Integration of AI with decision-making systems	Combines prediction with actionable recommendations	Optimizes agricultural management	[30]
Hybrid AI + Climate Models	Combination of AI and physical climate models	Provides more robust predictions under climate variability	Enhances resilience to climate-related risks	[31]

D. Challenges in the Development of Rainfall Prediction Systems

Despite significant advancements in rainfall prediction technologies, several fundamental challenges still hinder the development of systems that are accurate, adaptive, and practically applicable. These challenges are not only technical in nature but also involve aspects related to data, interpretability, and system integration within the context of agricultural management.

One of the primary challenges is the non-stationarity of climate data, where rainfall patterns change dynamically due to climate variability and global climate change. This condition causes models based on historical data to often experience performance degradation when applied to future scenarios [32], [33]. In addition, data limitations and heterogeneity pose obstacles in multi-source data integration. Differences in spatial and temporal resolution, data quality, and inconsistencies in data formats can affect the accuracy of prediction models [34].

Another significant challenge is model interpretability, particularly in deep learning approaches that tend to function as black-box systems. This becomes a barrier in practical implementation, especially in

agricultural decision-making systems that require transparency and user trust [35]. Furthermore, the lack of integration between prediction systems and agricultural management applications results in prediction outputs not being optimally utilized in practice [36].

Additional challenges include the high computational complexity of modern AI models and the inherent uncertainty in climate predictions, which can affect decision-making processes [37], [38]. These challenges highlight the need for a more holistic and integrated approach in the future development of rainfall prediction systems. A summary of the key challenges, along with their implications and potential solution directions, is presented in Table 4.

Table 4. Challenges in the Development of Rainfall Prediction Systems and Proposed Solution Directions

Challenge	Description	Impact	Potential Solution	Reference
Non-Stationary Climate	Changes in rainfall patterns due to climate change	Decreased long-term model accuracy	Adaptive learning, hybrid models	[32], [33]
Data Heterogeneity	Differences in data formats, resolution, and quality	Difficult data integration and model bias	Data fusion, data standardization	[34]
Data Scarcity (Local Data)	Limited availability of local data	Poor model generalization	Transfer learning, data augmentation	[39]
Black-box Models	Models are difficult to interpret	Low user trust	Explainable AI (XAI)	[35]
System Integration Gap	Predictions are not integrated with DSS	Suboptimal real-world application	Integrated AI-DSS systems	[36]
Computational Complexity	AI models require high computational resources	High operational cost	Cloud computing, efficient computing	[37]
Uncertainty in Prediction	Uncertainty in climate predictions	Risk of incorrect decision-making	Probabilistic modeling	[38]

E. Conceptual Framework for Future Rainfall Prediction Systems

Based on the analysis of technological evolution, development trends, and identified challenges, this study proposes a conceptual framework for developing artificial intelligence-based rainfall prediction systems to support agricultural management in tropical regions. This framework is designed as a multi-layered system that integrates data flow, artificial intelligence processing, adaptive mechanisms, and implementation in agricultural decision-making, as illustrated in Figure 2.




Figure 2. AARF (Agro-AI Rainfall Framework): A conceptual framework for AI-driven rainfall prediction in intelligent agricultural management.

The conceptual framework presented in Figure 2 consists of five main layers that form a systematic flow from data collection to the resulting impact on agricultural systems. In the Data Layer, the system integrates various multi-source data, including historical meteorological data, satellite imagery (e.g., CHIRPS and TRMM), Internet of Things (IoT) sensors, and other environmental data. This layer serves as the foundation for providing a comprehensive representation of climate conditions.

Next, the data is processed in the Computational Intelligence Layer, which utilizes artificial intelligence-based approaches such as machine learning, deep learning (e.g., LSTM and CNN), as well as spatio-temporal and transformer models. This layer is responsible for extracting complex patterns and generating accurate and robust rainfall predictions.

In the Adaptivity Layer, the system is equipped with continuous learning mechanisms such as online learning, concept drift detection, and transfer learning, enabling the model to adapt to non-stationary climate patterns. In addition, the implementation of Explainable AI (XAI) in this layer enhances the transparency and interpretability of prediction results.

The prediction results are then implemented in the Agricultural Management Layer, which includes various practical applications such as planting schedule planning, irrigation management, climate risk early warning systems, and integration with Decision Support Systems (DSS) to support data-driven decision-making.

At the final stage, the Impact Layer evaluates the system's contribution to improving agricultural productivity, resource use efficiency, environmental sustainability, and food security. In addition, as illustrated on the right side of Figure 2, the framework is supported by cross-cutting enablers, including

data governance, cloud computing, data security and privacy, as well as policies and user capacity. These components ensure the sustainability, scalability, and real-world implementation of the system.

Overall, Figure 2 illustrates the integration of data, artificial intelligence, system adaptability, and agricultural applications, resulting in a rainfall prediction system that is not only technically accurate but also practically relevant and sustainable.

F. Theoretical and Practical Implications

This study provides significant contributions from both theoretical and practical perspectives in the development of artificial intelligence-based rainfall prediction systems to support agricultural management in tropical regions.

From a theoretical standpoint, this research develops an integrative approach that combines artificial intelligence, climate science, and agricultural management into a comprehensive conceptual framework. The proposed framework expands the perspective that rainfall prediction is not merely a technical data-driven problem but also part of a complex, dynamic socio-technical system that adapts to environmental changes. Furthermore, the integration of spatio-temporal modeling, multimodal data, and adaptive learning within a unified system contributes to the advancement of a new paradigm in AI-based climate prediction modeling.

From a practical perspective, the proposed framework can serve as a foundation for developing rainfall prediction systems that are more adaptive, accurate, and applicable in the agricultural sector. The implementation of such systems has the potential to improve efficiency in planting schedule planning, irrigation management, and risk mitigation related to climate variability and uncertainty. In addition, integration with Decision Support Systems (DSS) enables more precise data-driven decision-making for farmers, land managers, and policymakers, thereby enhancing agricultural productivity and sustainability.

Furthermore, the implications of this study extend to strategic aspects of smart agriculture development, where AI-based rainfall prediction systems can function as a core component in supporting precision farming and more efficient resource management. In a broader context, this research opens opportunities for developing prediction systems integrated with other digital technologies, such as the Internet of Things (IoT), cloud computing, and real-time data analytics.

Thus, this study not only provides a conceptual contribution but also offers a clear direction for implementation in supporting the transformation toward more adaptive, efficient, and sustainable agricultural systems in the future.

4. CONCLUSION

This study comprehensively examines the development of artificial intelligence-based rainfall prediction technologies and their role in supporting agricultural management in tropical regions. The results indicate that prediction methods have undergone significant evolution, from conventional statistical approaches to machine learning, deep learning, and transformer-based architectures that are more effective in handling the complexity of climate data.

In addition, this study identifies several key challenges in the development of rainfall prediction systems, including the non-stationarity of climate data, data limitations and heterogeneity, low model interpretability, and the lack of integration between prediction systems and agricultural applications. These findings emphasize that future system development requires a more adaptive, integrated, and practically oriented approach.

As a primary contribution, this study proposes the Agro-AI Rainfall Framework (AARF) as a multi-layered conceptual framework that integrates multi-source data, computational intelligence, adaptive mechanisms, and implementation within agricultural management. This framework functions not only as a predictive model but also as an integrated system that supports data-driven decision-making.

From a practical perspective, the implementation of this framework has the potential to improve the efficiency of planting schedule planning, irrigation management, and risk mitigation related to climate variability. From a theoretical standpoint, this study contributes by developing an integrative approach that connects artificial intelligence, climate science, and agricultural management within a unified, adaptive, and sustainable socio-technical system.

Future research should focus on the development of multimodal learning-based models, integration with real-time analytics systems, and the application of Explainable AI (XAI) to enhance transparency and user trust. In addition, empirical validation of the framework in real-world scenarios is essential to ensure its effectiveness and scalability in supporting smart and sustainable agriculture.

ACKNOWLEDGMENTS

The authors would like to express their appreciation and gratitude to Universitas Muhammadiyah Asahan and Universitas Muhammadiyah Malaysia for their academic support and facilities that made this research possible.

REFERENCES

- [1] K. Mohammad, "Climate change, agricultural challenges and opportunities," Jan. 2025, doi: 10.13140/rg.2.2.32999.15521.
- [2] G. Niedbała, M. Piekutowska, T. Wojciechowski, and M. Niazian, "Predictions and Estimations in Agricultural Production under a Changing Climate," *Agronomy*, Jan. 2024, doi: 10.3390/agronomy14020253.
- [3] S. Mulla, C. B. Pande, and S. K. Singh, "Times Series Forecasting of Monthly Rainfall using Seasonal Auto Regressive Integrated Moving Average with EXogenous Variables (SARIMAX) Model," *Water Resources Management*, Mar. 2024, doi: 10.1007/s11269-024-03756-5.
- [4] O. J. Yi and N. A. B. Kamisan, "Forecasting on Monthly Rainfall for Petaling Jaya, Malaysia and Surakarta, Indonesia Using Time Series Models," *Proceedings of Science and Mathematics*, 2025.
- [5] U. A. Linarka, M. P. Tambunan, E. Kusratmoko, and A. L. Latifah, "Assessing the spatiotemporal precipitation trends from ERA5-Land over Indonesia region," *IOP Conference Series: Earth and Environmental Science*, 2025, doi: 10.1088/1755-1315/1438/1/012046.
- [6] D. Kumar and Dr. P. Richariya, "Leveraging SARIMAX for Accurate Rainfall Forecasting in India," *International Journal of Innovations In Science Engineering And Management*, June 2024.
- [7] A. Yunita *et al.*, "Performance analysis of neural network architectures for time series forecasting: A comparative study of RNN, LSTM, GRU, and hybrid models," *MethodsX*, July 2025, doi: 10.1016/j.mex.2025.103462.
- [8] H. Wu, J. Xu, J. Wang, and M. Long, "Autoformer: Decomposition Transformers with Auto-Correlation for Long-Term Series Forecasting," *35th Conference on Neural Information Processing Systems (NeurIPS 2021)*, Jan. 2022.
- [9] K. Zheng *et al.*, "A Cross-Modal Spatiotemporal Joint Predictive Network for Rainfall Nowcasting," *IEEE Transactions on Geoscience and Remote Sensing*, vol. 62, pp. 1–23, Jan. 2024, doi: 10.1109/tgrs.2024.3452767.

- [10] R. Y. Zakari, Z. K. Lawal, K. Kalinaki, and U. D. Maiwada, "Time Series Forecasting Techniques for Climate Trend Prediction," *Advances in environmental engineering and green technologies book series*, pp. 282–310, June 2024, doi: 10.4018/979-8-3693-2351-9.ch014.
- [11] D. P. C. Peters, H. M. Savoy, G. A. Ramirez, and H. Huang, "AI Recommender System With ML for Agricultural Research," *IT Professional*, vol. 22, no. 3, pp. 30–32, May 2020, doi: 10.1109/MITP.2020.2986125.
- [12] A. Olatunbosun, D. A. Ojo, N. A. Eboh, A. Ukwa, and T. S. Jimoh, "How Artificial Intelligence Is Reshaping Labor Productivity: A Narrative Review of Theoretical Perspectives and Emerging Empirical Evidence," *Journal of Economics, Business, and Commerce (JEBC)*, Dec. 2025, doi: 10.69739/jebc.v2i2.1333.
- [13] Bhimavarapu, U. (2026). Accurate Rainfall Prediction With Integrated BI LSTM in Deep Learning. In *Leveraging AI for Inclusive and Equitable Development* (pp. 121-138). IGI Global Scientific Publishing.
- [14] Kumar, R., Prakash, M., & Shakila, B. (2023, December). A comparative analysis of time series and machine learning models for wind speed prediction. In *2023 IEEE 3rd Mysore Sub Section International Conference (MysuruCon)* (pp. 1-6). IEEE.
- [15] A'syifa, C. R. G. A., Pramudita, B. A., Rohman, B. P. A. U., & Setiawan, D. P. (2025, July). Comparing Predictive Capabilities of Machine Learning Models in Weather Forecasting. In *2025 International Conference on Data Science and Its Applications (ICoDSA)* (pp. 973-978). IEEE.
- [16] Poornima, S., & Pushpalatha, M. (2019). Prediction of rainfall using intensified LSTM based recurrent neural network with weighted linear units. *Atmosphere*, 10(11), 668.
- [17] Nejad, S. M. M., Abbasi-Moghadam, D., & Sharifi, A. (2024). ConvLSTM–ViT: A deep neural network for crop yield prediction using Earth observations and remotely sensed data. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 17, 17489-17502.
- [18] My, L. N. T., & Vo, T. (2026). A Trend-Aware Transformer-Based Approach for Improving Long-Range Multivariate Time-Series Forecasting With Decomposition. *Journal of Forecasting*, 45(2), 637-651.
- [19] Sun, S., An, W., Tian, F., Nan, F., Liu, Q., Liu, J., ... & Chen, P. (2024). A review of multimodal explainable artificial intelligence: Past, present and future. *arXiv preprint arXiv:2412.14056*.
- [20] Farman, H., Hussain, A., Farman, A., & Irshad, S. (2025). Data-Driven Rainfall Prediction for Smart Agriculture: A Machine Learning Perspective. *Pakistan Journal of Engineering and Technology*, 8(3), 31-41.
- [21] Praveen, Y. J., Isravel, D. P., Dhas, J. P. M., & Deepthi, G. (2024, May). Machine Learning Based Hybrid System for Rainfall Prediction and Crop Recommendation. In *2024 International Conference on Advances in Modern Age Technologies for Health and Engineering Science (AMATHE)* (pp. 1-7). IEEE.
- [22] Yesankar, P. R., Bandre, P., Verma, P., Gudadhe, A. G., Gourshettiwar, P., & Puri, C. (2024, August). A review on the role of iot in smart agriculture with reference to efficiency, sustainability and precision farming. In *2024 5th international conference on electronics and sustainable communication systems (ICESC)* (pp. 533-537). IEEE.
- [23] Chin, R. J., & Lai, S. H. (2025). Integration of hydrological models and machine learning techniques for water resources management. *Journal of Civil Engineering*, 16(1), 1-5.
- [24] Karthikeyan, C. (2025). AI for Climate Modelling and Prediction With Special Reference to Empowering India: AI-Driven Insights for Climate Resilience and Prediction. In *Nexus of AI, Climatology, and Urbanism for Smart Cities* (pp. 91-120). IGI Global Scientific Publishing.

- [25] A. Vaswani et al., "Attention Is All You Need," in Proc. Advances in Neural Information Processing Systems (NeurIPS), 2017
- [26] Bommasani, R., Hudson, D. A., Adeli, E., Altman, R., Arora, S., von Arx, S., ... & Liang, P. (2021). On the opportunities and risks of foundation models. *arXiv preprint arXiv:2108.07258*.
- [27] Reichstein, M., Camps-Valls, G., Stevens, B., Jung, M., Denzler, J., Carvalhais, N., & Prabhat, F. (2019). Deep learning and process understanding for data-driven Earth system science. *Nature*, 566(7743), 195-204.
- [28] Camps-Valls, G., Tuia, D., Zhu, X. X., & Reichstein, M. (Eds.). (2021). *Deep learning for the Earth Sciences: A comprehensive approach to remote sensing, climate science and geosciences*. John Wiley & Sons.
- [29] Rudin, C. (2019). Stop explaining black box machine learning models for high stakes decisions and use interpretable models instead. *Nature machine intelligence*, 1(5), 206-215.
- [30] Shim, J. P., Warkentin, M., Courtney, J. F., Power, D. J., Sharda, R., & Carlsson, C. (2002). Past, present, and future of decision support technology. *Decision support systems*, 33(2), 111-126.
- [31] Kaif, M., Halder, P., Mittu, S., Sarangi, A., & Pandey, N. K. (2026). Hybrid and Physics-Informed AI Models in Earth System Analysis. In *AI for Climate Governance, Agriculture, and Earth Systems* (pp. 71-102). IGI Global Scientific Publishing.
- [32] M. Reichstein et al., "Deep learning and process understanding for climate science," *Nature*, vol. 566, pp. 195–204, 2019, doi: 10.1038/s41586-019-0912-1.
- [33] D. Rolnick et al., "Tackling climate change with machine learning," *Nature Climate Change*, vol. 9, pp. 462–473, 2019, doi: 10.1038/s41558-019-0594-4.
- [34] Y. Sun et al., "Deep learning for climate science: Applications and challenges," *Nature Communications*, vol. 10, 2019, doi: 10.1038/s41467-019-09145-9.
- [35] C. Rudin, "Stop explaining black box machine learning models for high stakes decisions," *Nature Machine Intelligence*, vol. 1, pp. 206–215, 2019, doi: 10.1038/s42256-019-0048-x.
- [36] S. Wolfert, L. Ge, C. Verdouw, and M. J. Bogaardt, "Big data in smart farming: A review," *Agricultural Systems*, vol. 153, pp. 69–80, 2017, doi: 10.1016/j.agsy.2017.01.023.
- [37] R. Bommasani et al., "On the opportunities and risks of foundation models," Stanford University, 2021.
- [38] IPCC, "Climate Change 2023: Synthesis Report," Intergovernmental Panel on Climate Change, 2023.
- [39] I. Goodfellow, Y. Bengio, and A. Courville, *Deep Learning*. MIT Press, 2016.